Docket Number: YKM-00901

to the Commissioner of Patents and Trademarks:

Bransmitted herewith for filing under 35 U.S.C. 111 and 37 CFR 1.53 is the patent application of

Masaharu ITO, Kenichi MARUHASHI, Kazuhiro IKUINA and Keiichi OHATA

#### entitled RF PACKAGE

#### Enclosed are:

- X 19 pages of written description, claims and abstract.
- X 10 sheets of drawings.
- X an assignment of the invention to <u>NEC Corporation</u> and check for \$40.00.
- X executed declaration of the inventors.
- X certified copy of Japanese application no. 11-324739 filed November 15, 1999.
- X information disclosure statement and cited reference.

#### CLAIMS AS FILED

	NUMBER FILED	NUMBER EXTRA	RATE	FEE
BASIC FEE (37 CFR 1.16(a))			\$710	\$710
TOTAL CLAIMS (37 CFR 1.16(c))	13x-20=	*0	x \$ 18	0
INDEPENDENT CLAIMS (37 CFR	1-3=	*0	x \$ 80	0
INDEPENDENT CLAIMS (37 CFR 1.16(b))				
MULTIPLE DEPENDENT CLAIM	(37 CFR 1.16(d))		\$270	
PRESENT				
NUMBER EXTRA MUST BE ZERO O	R LARGER		TOTAL	\$710_
	If applicant has small entity status under 37 CFR 1.9 and 1.27 then divide total fee by 2, and enter amount here.			\$

- X A check in the amount of \$710 to cover the filing fee is enclosed.
- X The Commissioner is hereby authorized to charge and credit Deposit Account No. 501136 as described below. I have enclosed a duplicate copy of this sheet.

Charge the amount of \$ \_as filing fee.

- X Credit any overpayment.
- X Charge any additional filing fees required under 37 CFR 1.16 and 1.17.

Charge the issue fee set in 37 CFR 1.18 at the mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).

#### Certificate of Express Mail

I, do hereby certify that the foregoing documents are being deposited with the United States Postal Service as Express Mail, postage prepaid, "Post Office to Addressee", in an envelope addressed to the Commissioner for Patents, Box Patent Applications, Washington, D.C. 20231 on this date of November 13, 2000.

Bress Mail Label:

Donald W. Muirhead Reg. No. 33,978

26339

PATENT TRADEMARK OFFICE

25

## Specification Title of the Invention RF Package

#### 5 Background of the Invention

The present invention relates to an RF package and, more particularly, to an RF package with a feed-through.

A package using a coplanar line is suitable

for mounting an MMIC (Microwave Monolithic Integrated
Circuit) by flip-chip mounting. D.R. Decker et al.,

"Multichip MMIC Package for X and Ka Bands", IEEE

Transactions on Components, Packaging and Manufacturing
Technology - Part B, Vol. 20, February 1997, pp. 27 - 33

proposes a ceramic package which is comprised of a

promisingly low-cost multilayered substrate.

Figs. 8 to 11 show the structure of a conventional ceramic package. Referring to Fig. 8, a ceramic package 1 is comprised of a cavity 3 where a semiconductor element 2 is to be mounted, and a feed-through 4 for connecting the inside and outside of the cavity 3. As shown in Figs. 9 and 10, the feed-through 4 is divided into a coplanar line 4a and inner layer line 4b, and is comprised of a signal conductor 5, a ground conductor 6a on the lower surface of a first layer substrate 1a, a ground conductor 6b of the coplanar line 4a, and a ground conductor 6c on the

10

15

20

25

upper surface of a second layer substrate 1b.

The cavity 3 is hermetically sealed by an upper lid 7 so that it is hermetically held. In order to equalize electric potential, a plurality of via holes 8a for connecting the ground conductors 6a and ground conductor 6b to each other, and a plurality of via holes 8b for connecting the ground conductors 6a, 6b, and 6c to each other are formed along the signal propagating direction.

In the structure of the conventional ceramic package, when a distance  $\lambda$  (Figs. 10 and 11) from a connection interface c-c' between the coplanar line 4a and inner layer line 4b to the center of the endmost via hole 8b formed to extend through the first and second layer substrates 1a and 1b increases with respect to a signal wavelength, a signal is radiated in an outward propagation mode between the connection interface c-c' and the endmost via hole 8b into a plane-parallel plate, constituted by the ground conductor 6b of the coplanar line 4a and the ground conductor 6c on the upper surface of the second layer substrate 1b. Studies made by the present inventors clarified that in the conventional ceramic package, the transmission characteristics in the feed-through 4 degraded due to this signal radiation.

For example, in the prior art, when a signal up to 60 GHz is to be transmitted to a feed-through made of a dielectric substrate with a specific dielectric

15

20

25

constant of 7.1, the distance  $\lambda$  must be 0.3 mm or less. To form a via hole at such a short distance degrades the yield because cracking occurs in the manufacture. For this reason, it is difficult to set the distance  $\lambda$  very small (to about up to 0.4 mm), and problems arise in the yield of the manufacture, degradation in transmission characteristics of an RF signal, and the like.

#### Summary of the Invention

It is an object of the present invention to

10 provide an RF package with a feed-through structure in

which transmission characteristics of an RF signal do

not degrade.

It is another object of the present invention to provide an RF package with a feed-through structure in which the yield in the manufacture is improved.

In order to achieve the above objects, according to the present invention, there is provided an RF package comprising a multilayered dielectric substrate on which first and second dielectric substrates are formed, the multilayered dielectric substrate having a cavity where a semiconductor element is to be mounted, a feed-through for connecting an inside and outside of the cavity and comprised of a coplanar line formed on the first dielectric substrate and an inner layer line obtained by forming the second dielectric substrate on the coplanar line, the coplanar line and the inner layer line sharing a strip-like

signal conductor, and metal members formed at a connection interface between the coplanar line and the inner layer line on two sides of the signal conductor.

Brief Description of the Drawings

Fig. 1 is a perspective view of an RF package according to the first embodiment of the present invention;

Fig. 2 is a perspective view of a feed-through shown in Fig. 1;

Fig. 3 is a plan view of the feed-through shown in Fig. 2;

Fig. 4 is a sectional view taken along the line I - I of Fig. 3;

Fig. 5 is a perspective view of a feed-through according to the second embodiment of the present invention;

Fig. 6 is a plan view of the feed-through shown in Fig. 5;

Fig. 7 is a sectional view taken along the 20 line II - II of Fig. 6;

Fig. 8 is a perspective view of a conventional ceramic package;

Fig. 9 is a perspective view of a feed-through shown in Fig. 8;

Fig. 10 is plan view of the feed-through shown in Fig. 9;

Fig. 11 is a sectional view taken along the

20

line III - III of Fig. 10;

Fig. 12 is a graph showing the relationship between the presence/absence of interface electrodes and the radiation loss of the feed-through; and

Fig. 13 is a graph showing the relationship 5 between the pitch w of the via holes and a higher-order mode cutoff frequency.

Description of the Preferred Embodiments

The present invention will be described in 10 detail with reference to the accompanying drawings.

Fig. 1 shows a ceramic package according to the first embodiment of the present invention. Referring to Fig. 1, a ceramic package 101 is comprised of a rectangular first layer dielectric substrate (to be referred to as a first layer substrate hereinafter) 101a, a rectangular second layer dielectric substrate (to be referred to as a second layer substrate hereinafter) 101b formed on and smaller than the first layer substrate 101a, a cavity 103 formed by punching the central portion of the second layer substrate 101b and where a semiconductor element 102 is to be mounted, and a feed-through 104 formed on the surfaces of the first and second layer substrates 101a and 101b and serving as a planar waveguide that connects the inside and outside of the cavity 103. 25

As shown in Figs. 2 and 3, the feed-through 104 is comprised of a coplanar line 104a formed on the

10

15

first layer substrate 101a, and an inner layer line 104b obtained by forming the second layer substrate 101b on the coplanar line 104a. More specifically, the inner layer line 104b is comprised of the coplanar line 104a formed between the first and second layer substrates 101a and 101b. The feed-through 104 has a conductor structure consisting of a signal conductor (strip conductor) 105 formed on the upper surface of the first layer substrate 101a, a ground conductor 106a formed on the lower surface of the first layer substrate 101a, a pair of ground conductors (planar ground conductors) 106b formed on two sides of the signal conductor 105 at a predetermined gap, and a ground conductor 106c formed on the upper surface of the second layer substrate 101b. The cavity 103 is hermetically sealed by an upper lid 107 so that it is hermetically held.

In order to equalize electric potential, via holes 108a for connecting the ground conductors 106a and 106b to each other are formed to extend through the first layer substrate 101a, and via holes 108b for connecting the ground conductors 106a, 106b, and 106c to each other are formed to extend through the first and second layer substrates 101a and 101b. The via holes 108a and 108b are formed in two rows along the signal conductor. In this case, pitches  $\lambda_{\rm pl}$  and  $\lambda_{\rm p2}$  of the respective via holes 108a and 108b in the signal propagating direction desirably satisfy the following

15

expressions (1) and (2):

$$\lambda_{\rm pl} < \frac{c}{2f\sqrt{\frac{\epsilon_{\rm r} + 1}{2}}} \qquad \dots (1)$$

$$\lambda_{p2} < \frac{c}{2f\sqrt{\epsilon_r}}$$
 ...(2)

where c, f, and  $\epsilon_{\rm r}$  respectively indicate the speed of light, the signal frequency, and the specific dielectric constant of the dielectric substrate.

On a connection interface a-a' between the coplanar line 104a and inner layer line 104b, as shown in Fig. 3, semicircular cylindrical interface electrodes (metal electrodes with cutout end faces) 109 for connecting the ground conductors 106b and 106c to each other are formed on the rows of the via holes 108a and 108b. In this case, the edges of the interface electrodes 109 on the signal conductor 105 side desirably match the edges of the via holes 108a and 108b, as shown in Fig. 3.

If the ground conductors 106b and 106c are not connected to each other with the interface electrodes 109, an effect is still provided by the interface electrodes 109. If the ground conductors 106b and 106c are connected to each other, a higher effect can be obtained. When a plurality of interface electrodes 109 are arranged on the two sides of the signal conductor 105 each in one row along the connection interface a-a', it is more effective in suppressing an electromagnetic

field that extends from the outside of the interface electrodes 109.

Fig. 12 shows the radiation loss of the feed-through 104 without interface electrodes 109 ( $\lambda$  = 0.3 mm) and with interface electrodes 109 ( $\lambda$  = 0.6 mm). The radiation loss of Fig. 12 is obtained when the radius of the interface electrodes is 0.2 mm, the radius of the via holes is 0.1 mm, and the specific dielectric constant is 7.1. Note that the distance  $\lambda$  (Figs. 2 and 4) is the distance from the connection interface a-a' to the center of the endmost via hole 108b.

As shown in Fig. 12, when compared to the case without the interface electrodes 109, with the interface electrodes 109, the radiation loss is greatly decreased.

The radiation loss has an extreme value at a specific frequency. The specific frequency is a frequency at which the distance λ corresponds to about half wavelength and quarter wavelength in the case with the interface electrodes 109 and in the case without the interface electrodes 109, respectively.

When the interface electrodes 109 are provided, if the distance  $\lambda$  is set to satisfy expression (3), the frequency at which the radiation loss takes the extreme value can be set outside the signal frequency band, so that the radiation loss of the feed-through 104 can be decreased.

$$\lambda < \frac{c}{2f\sqrt{\epsilon_r}}$$
 ...(3)

In this manner, when the interface electrodes 109 are provided, the distance  $\lambda$  can be set twice that obtained when no interface electrodes 109 are provided. As a result, the via holes 108b can be formed with a

manufacturing margin without degrading the performance.

If the frequency is high, a higher-order mode exists which propagates through a waveguide structure constituted by the via holes 108b and ground conductors 10 106a, 106b, and 106c. Therefore, the signal mode is transformed into the higher-order mode due to the discontinuity at the connection interface a-a' between the coplanar line 104a and inner layer line 104b, thereby degrading the transmission characteristics. In order to cut off this higher-order mode, the pitch w of the via holes 108a and 108b in a direction perpendicular to the signal propagating direction desirably satisfies the following expression (4):

$$w < \frac{c}{2f\sqrt{\varepsilon_r}} \qquad \dots (4)$$

20 Although the interface electrodes 109 have a semi-circular cylindrical shape in this embodiment, their shape is not limited to this. When the interface electrodes 109 are circular cylindrical, cracking is not easily caused by a stress.

To manufacture the feed-through with the structure described above, first, the via holes 108a and

108b are formed in the first and second layer substrates 101a and 10b, holes for the interface electrodes 109 are formed simultaneously, and these holes are filled with a metal paste. The second layer substrate 101b is bored to form the cavity 103.

electrodes 109 match the edges of the via holes 108a and 108b, the pitch w of the via holes 108a and 108b can be set to about 0.5 mm. Fig. 13 shows the relationship between the higher-order mode cutoff frequency and the pitch w. As shown in Fig. 13, when a dielectric substrate with a specific dielectric constant of 7.1 is used, the signal up to 110 GHz can be transmitted without degrading the insertion loss.

The cross-sections of the interface electrodes 15 109 which are, e.g., semicircular cylindrical, may be larger than those of the via holes 108a and 108b. the cross-sections of the interface electrodes 109 increase, when the interface electrodes 109 are to be formed on the end face of the second layer substrate 20 101b, the yield can be improved and stable ground-to-ground connection can be performed. expression (3) is a sufficient condition, when the cross-sections of the interface electrodes 109 increase, the ratio of conductors to the segment with the distance 25  $\lambda$  increases, and the distance  $\lambda$  can be set large. Furthermore, when the interface electrodes 109 are

formed using co-fired ceramics, reliable ground-to-ground connection can be achieved by the interface electrodes 109.

An RF package according to the second

embodiment of the present invention will be described
with reference to Figs. 5 to 7.

The difference between the first and second embodiments resides in that, in the second embodiment, as shown in Fig. 5, on a connection interface b-b'

10 between a coplanar line 104a and inner layer line 104b, a pair of plate-like interface metal portions 110 are formed by plating or the like on the two sides of a signal conductor 105 so as to connect ground conductors 106b and 106c to each other. In this case, as shown

15 Fig. 6, the interface metal portions 110 project toward the coplanar line 104a by an amount corresponding to the thicknesses of the plates.

If the ground conductors 106b and 106c are not connected to each other with the interface metal

20 portions 110, an effect is still provided by the interface metal portions 110. If the ground conductors 106b and 106c are connected to each other, a higher effect can be obtained. The same effect as that of the first embodiment can be obtained due to the presence of the interface metal portions 110. In this case, a distance λ (Fig. 7) from the connection interface b-b' to the center of the nearest-end via hole 108b formed in

15

20

25

the inner layer line 104b must satisfy expression (3).

In the second embodiment as well, in order to cut off a higher-order mode, a pitch w (Fig. 6) of via holes 108b in a direction perpendicular to the signal propagating direction desirably satisfies expression (4).

According to the second embodiment, since the interface metal portions 110 are formed in place of the interface electrodes 109, no machining is needed other than forming the via holes 108b in a second layer substrate 101b. Thus, the manufacture is facilitated, and an improvement in yield is expected.

In the first and second embodiments described above, a ceramic material is used to form the package. As the material of the package, in place of the ceramic material, other inorganic or organic materials that can form a multilayered structure may be used.

As has been described above, according to the present invention, in a feed-through that connects the inside and outside of the cavity of an RF package, interface electrodes/metal portions are formed on the two sides of a signal conductor at the connection interface between the coplanar line and inner layer line. Therefore, signal radiation is suppressed to improve the transmission characteristics of the feed-through.

In particular, even if the distance between the connection interface between the coplanar line and inner layer line and the endmost via hole formed in the

inner layer line is increased, since signal radiation is suppressed, the endmost via hole can be formed at a position well away from the connection interface. Thus, formation of the via hole is facilitated, and an improvement in yield of the manufacture can accordingly be expected, greatly contributing to mass production of high-performance millimeter-wave modules.

#### What is claimed is:

- An RF package comprising:
- a multilayered dielectric substrate on which
- 3 first and second dielectric substrates are formed, said
- 4 multilayered dielectric substrate having a cavity where
- 5 a semiconductor element is to be mounted;
- a feed-through for connecting an inside and
- 7 outside of said cavity and comprised of a coplanar line
- 8 formed on said first dielectric substrate and an inner
- 9 layer line obtained by forming said second dielectric
- 10 substrate on said coplanar line, said coplanar line and
- 11 said inner layer line sharing a strip-like signal
- 12 conductor; and
- metal members formed at a connection interface
- 14 between said coplanar line and said inner layer line on
- 15 two sides of said signal conductor.
  - 2. A package according to claim 1, further
  - 2 comprising:
  - 3 first ground conductors formed on an upper
  - 4 surface of said first dielectric substrate and arranged
  - 5 on two sides of said signal conductor to be away from
  - 6 each other at a predetermined distance;
  - 7 a second ground conductor formed on said

- 8 second dielectric substrate; and
- g a plurality of first via holes formed in said
- 10 second dielectric substrate to connect said first and
- 11 second ground conductors to each other at positions away
- 12 from said connection interface between said coplanar
- 13 line and said inner layer line.
  - 3. A package according to claim 2, wherein a
  - 2 distance  $\lambda$  between said connection interface between
  - 3 said coplanar line and said inner layer line and a
  - 4 center of one of said first via holes which is at an end
  - 5 nearest to said connection interface is represented by

$$\lambda < \frac{c}{2f\sqrt{\epsilon_r}}$$

- 7 where c, f, and  $\epsilon_{\rm r}$  respectively indicate a speed of
- 8 light, a signal frequency, and a specific dielectric
- 9 constant of said dielectric substrate.
  - 4. A package according to claim 2, wherein
- 2 said first via holes are arranged on two sides
- 3 of said signal conductor at a predetermined pitch, and
- a pitch  $\lambda_{p2}$  of said first via holes in a
- 5 signal propagating direction is represented by

$$\lambda_{p2} < \frac{C}{2f\sqrt{\epsilon_r}}$$

7 where c, f, and  $\epsilon_{\mathtt{r}}$  respectively indicate a speed of

- 8 light, a signal frequency, and a specific dielectric
- 9 constant of said dielectric substrate.
  - A package according to claim 4, wherein a
- 2 pitch w of said first via hole in a direction
- 3 perpendicular to the signal propagating direction is
- 4 indicated by
- $w < \frac{c}{2f\sqrt{\epsilon_r}}$ 
  - 6. A package according to claim 4, further
- 2 comprising:
- a third ground conductor formed on a lower
- 4 surface of said first dielectric substrate; and
- 5 second via holes formed in said first
- 6 dielectric substrate to connect said first and third
- 7 ground conductors to each other, said second via holes
- 8 being arranged on two sides of said signal conductor at
- 9 a predetermined pitch.
  - 7. A package according to claim 6, wherein a
- 2 pitch  $\lambda_{p1}$  of said second via holes in the signal
- 3 propagating direction is represented by


$$\lambda_{\rm pl} < \frac{c}{2f\sqrt{\frac{\epsilon_{\rm r}+1}{2}}}$$


- 8. A package according to claim 2, wherein said
- 2 metal members have ends on a signal conductor side that
- 3 are aligned with ends of said first via holes on the
- 4 signal conductor side.
  - 9. A package according to claim 2, wherein said
- 2 metal members connect said first and second ground
- 3 conductors to each other at said connection interface
- 4 between said coplanar line and said inner layer line.
  - 10. A package according to claim 1, wherein said
- 2 metal members are metal posts.
  - 11. A package according to claim 1, wherein said
- 2 metal members are semi-cylindrical metal electrodes.


- 12. A package according to claim 1, wherein said
- 2 metal members are metal plates.
  - 13. A package according to claim 1, wherein said
- 2 multilayered dielectric substrate is formed of co-fired
- 3 ceramics.

#### Abstract of the Disclosure


An RF package includes a multilayered dielectric substrate, a feed-through, and metal members. First and second dielectric substrates are formed on the multilayered dielectric substrate. The multilayered dielectric substrate has a cavity where a semiconductor element is to be mounted. The feed-through connects the inside and outside of the cavity and is comprised of a coplanar line formed on the first dielectric substrate and an inner layer line obtained by forming the second dielectric substrate on the coplanar line. The coplanar 10 line and the inner layer line share a strip-like signal conductor. The metal members are formed at a connection interface between the coplanar line and the inner layer line on two sides of the signal conductor.









F I G. 3




F I G. 4





F I G. 6



F I G. 7





FIG. 8 PRIOR ART






FIG. 10 PRIOR ART




FIG. 11 PRIOR ART




FIG. 12




FIG. 13

#### DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that my residence, post office address and citizenship are as stated below next to my name, and I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

RF	Ρā	ıck	a	aе

the specification of which (check one)			
(X) is attached hereto: ( ) was filed on	as United States Applicat	tion Number or PCT International	Application Number
on, and was amended o			Approacon Number
			ding the eleius or one and ad hy our
I hereby state that I have reviewed and undersamendment referred to above. I acknowledge Federal Regulation, §1.56. I hereby claim for for patent or inventor's certificate listed below disclosing the subject matter claimed in their or (2) if no priority is claimed, before the filling	e the duty to disclose inforr reign priority benefits under v and have also identified be application and having a fi	mation which is material to patenta or Title 35, United States Code, §1 below any foreign application for p	ability as defined in Title 37, Code of 19/365 of any foreign application(s) patent or inventor's certificate
	Prior foreign	Application(s)	
Number	Country	Day/Month/Year Filed	Priority Claimed
324739/1999	Japan	15/11/1999	(X) Yes ( ) No
			( ) Yes ( ) No
			( ) Yes ( ) No
States application in the manner provided by information which is material to patentability filing date of the prior application and the nat  (Application Number) Day/Mon	as defined in Title 37, Coo	de of Federal Regulations, §1.56 w	which became available between the
I hereby appoint Donald W. Muirhead, Reg. I prosecute this application and to transact all b	No. 33,978; Anne E. Saturi	nelli, Reg. No. 41,290; and David	Suhl, Reg. No. 43,169 as attorneys to
Address all telephone calls to Donald W. Mu			
The second of th	Patent Grou	p /heeler & Dittmar Street	respondence to.
I hereby declare that all statements made here believed to be true; and further that these stat punishable by fine or imprisonment, or both, jeopardize the validity of the application or a	ements were made with the under Section 1001 of Titl	knowledge that willful false state	ements and the like so made are
Inventor's signature Mascham	Ito	Da	ate November 1, 2000
Full name of sole or first inventor (given name	ne, family name)	Masaharu Ito	
Residence Tokyo, Japan		Cit	izenship Japan
Post Office Address (include zip code) C/	o NEC Corporation		
, 1		~~	
Inventor's signature Kenic	chi maruhast	Da Da	November 1, 2000
Full name of second inventor (given name, fa	amily name)	Kenichi Maruhashi	
Residence Tokyo, Japan			izenship Japan
Post Office Address (include zip code)C/	o NEC Corporation	n, 7-1, Shiba 5-chome	e, Minato-ku, Tokyo, Japan
		on senarately numbered sheets at	

### DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION (continued)

Inventor's signature <u>Kazulivo</u> Ikunaka	Date November 1, 2000
Full name of third inventor (given name, family name) Kazuhiro Ikuina	
Residence Tokyo, Japan	_CitizenshipJapan
Residence Tokyo, Japan  Post Office Address (include zip code) c/o NEC Corporation, 7-1, Shiba 5-che	ome, Minato-ku, Tokyo, Japan
Inventor's signature Keiichi Ohata	Date November 1, 2000
Full name of fourth inventor (given name, family name) Keiichi Ohata	
ResidenceTokyo, Japan	Citizenship Japan
Post Office Address (include zip code) C/O NEC Corporation, 7-1, Shiba 5-cho	
Inventor's signature	Date
Full name of fifth inventor (given name, family name)	
Residence	Citizenship
Post Office Address (include zip code)	
Inventor's signature	Date
Full name of sixth inventor (given name, family name)	
Residence	Citizenship
Post Office Address (include zip code)	
Inventor's signature	Date
Full name of seventh inventor (given name, family name)	
Residence	Citizenship
Post Office Address (include zip code)	
Inventor's signature	Date
Full name of eighth inventor (given name, family name)	
Residence	Citizenship
Post Office Address (include zip code)	